Pergola and Carport Brackets



SPECIAL ORDERS

roofextenda® PTY LTD 'A Better Way'

Available at BUNNINGS warehouse

Take This Brochure to the Special Orders Desk or order online at bunnings.com.au

AUSTRALIAN MADE AND OWNED

Patent Numbers
AUST: 707335
NZ: 312047

THE MKII BRACKET

Suitable for timber framed houses. Can be installed through either tile or metal roofs. Our uniquely designed brackets offer a structurally superior fixing to create a new roofline over an existing building.

Allows airflow between rooflines to provide improved ventilation in the summer heat. When building a carport, Roof Extenda brackets add height clearance so you can park larger vehicles such as a 4WD, boat or caravan.


ADJUSTABLE HEIGHT FROM 250mm MINIMUM TO 310mm MAXIMUM
250-310
95
BOLT ANGLE BRACKET WITH THE THREADED ROD TO THE SELECTED TRUSS BOTTOM CHORD OR RAFTER WITH 2/M12 BOLTS
WEATHER SEAL FITTED TO THE TOP BRACKET
50mm MIN. FROM CENTRE OF BOLT TO TOP EDGE
TOP OF BRACKET TO BE BOLTED TO THE ROOF BEAM ACCORDING TO THE SPECIFICATIONS SECURE THE BRACKETS TO THE TOP PLATE WITH 2/M10 COACH SCREWS THROUGH THE TWO LOWER BOTTOM HOLES
NOTE:
RAFTER/TRUSS TIE DOWNS MUST BE SUFFICIENT FOR INCREASED ROOF LOAD AND MUST BE INSTALLED IN ACCORDANCE WITH AS1684

MKII
Adjustable height from 250mm to 310mm maximum

Adjust to the desired height then lock it in using the hex nut.

Disclaimer

Local Council or Shire approval may be required prior to construction. Engineer's computations related to Roof Extenda brackets are available on the website. Roof Extenda accepts no responsibility for the type of construction undertaken. It is recommended a licensed plumber install weather seals.

Corrosion Zones

In highly corrosive areas, Roof Extenda's 316 marine grade stainless steel is recommended.

Each MKII Kit Includes:

- 1 x Top Bracket
- 1 x Bottom Bracket
- 1 x Hex Nut
- 1 x Seal Options



Item No.	MKII - Mild Steel
1130000	Black Weather Seal Kit
0745684	Red Weather Seal Kit
0745705	Black Flexatile Kit
0745703	Terracotta Flexatile Kit

Item No.	MKII - Stainless Steel
0745714	Black Weather Seal Kit
0745700	Red Weather Seal Kit
0745692	Black Flexatile Kit
0745681	Terracotta Flexatile Kit





S-SERIES BRACKETS

Durable Construction

All roofing brackets are available in 316 marine grade stainless steel and zinc-nickel plated mild steel.

Experience an unmatched durability and versatility with the Roof Extenda 316 Marine Grade Stainless steel brackets. Crafted from high quality stainless steel, this innovative bracket ensures long lasting performance, even in the harshest of conditions.

Each S-Series Kit Includes:

- 1 x Top Bracket
- 1 x Bottom Bracket
- 1 x L Plate
- 1 x Hex Nut
- 1 x Seal Options

4 VERSATILE SIZES FOR ADDED FLEXIBILITY



S-300
320mm - 380mm

S-400
420mm - 480mm

S-500
520mm - 580mm

S-600
620mm - 680mm



Inquire for more information about the S600

Item No.	S300 - Mild Steel
0521558	Black Weather Seal Kit
0745696	Red Weather Seal Kit
0745718	Black Flexatile Kit
0745693	Terracotta Flexatile Kit

Item No.	S300 - Stainless Steel
0745708	Black Weather Seal Kit
0745717	Red Weather Seal Kit
0745680	Black Flexatile Kit
0745687	Terracotta Flexatile Kit

Item No.	S400 - Mild Steel
0521557	Black Weather Seal Kit
0745677	Red Weather Seal Kit
0745678	Black Flexatile Kit
0745694	Terracotta Flexatile Kit

Item No.	S400 - Stainless Steel
0745697	Black Weather Seal Kit
0745685	Red Weather Seal Kit
0745679	Black Flexatile Kit
0745715	Terracotta Flexatile Kit

Item No.	S500 - Mild Steel
0521556	Black Weather Seal Kit
0745688	Red Weather Seal Kit
0745690	Black Flexatile Kit
0745711	Terracotta Flexatile Kit

Item No.	S500 - Stainless Steel
0745699	Black Weather Seal Kit
0745695	Red Weather Seal Kit
0745706	Black Flexatile Kit
0745702	Terracotta Flexatile Kit

Quick and easy to install with no special tools required.

SHADE SAIL ANCHOR

Each Kit Includes:

1 x Shade Sail Anchor

1 x L Plate

1 x Seal Option



Patent Number
AUST: 200620720

Care Instructions

Roof Extenda recommends painting mild steel brackets before installation. Brackets to be cleaned and inspected yearly and re-coated if required.

Roof to be cleaned before installing the weather seal to ensure it has maximum effect when bonded to the roof.

Neutral cure sealant is recommended.

Item No.	Sail Anchor - Mild Steel
1130004	Black Weather Seal Kit
0745683	Red Weather Seal Kit
0745707	Black Flexatile Kit
0745691	Terracotta Flexatile Kit



A better way of attaching shade sails to buildings.



ROOF SAFETY ANCHOR

Each Kit Includes:

1 x Roof Safety Anchor

1 x Backing Plate

1 x Seal Option

Item No.	Safety Anchor - Mild Steel
0745682	Black Weather Seal Kit
0745676	Red Weather Seal Kit
0745689	Black Flexatile Kit
0745701	Terracotta Flexatile Kit

Patent Numbers
AUST: 2015101661
AUST: 2015101662

WEATHER SEALS AND FLEXATILES

Black Flashrite

Base Size 163mm x 163 mm

BAL 12.5

For tin roofs

Red Silicone

Base Size 163mm x 163 mm

BAL 29

For tin roofs



Black or Terracotta Flexatile

Base Size 450mm x 280mm

For tiled roofs

How It Works

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advise, speak to a team member at the Special Orders Desk in-store.

1. Select The Product You Want

View the extensive range available in this brochure or online. Use the numbers shown below to order your product online or in-store.



Item No.	S300 - Mild Steel
0521558	Black Weather Seal Kit
0745696	Red Weather Seal Kit
0745718	Black Flexatile Kit
0745693	Terracotta Flexatile Kit

2. Order at the Special Orders Desk or Online

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at bunnings.com.au

3. Pick-Up In-Store At Special Orders Desk

Check with your local Bunnings store for availability

roofextenda® PTY LTD 'A Better Way'

9321727040058

V2 02/25